Section 1: Identification

Safety Data Sheet

4	.020/	5/51	

Page 1 of 12

1.1 Product identification Product identifier	:	Mixture
Product name	:	PROMASTER (Z) G-10/10 [Colorant]
Product code	:	Not available
Recommended uses	:	Cosmetics - Hair Coloring Product
Restrictions on uses	:	No information available
1.2 Identification of company		
Manufacturer/Supplier name	:	Hoyu America Co.
Division	:	-
Address	:	6265 Phyllis Drive Cypress, CA 90630 US
Telephone number	:	714-230-3000
FAX number	:	714-230-3060
E-mail	:	info@hoyu-usa.com
1.3 Emergency telephone number	:	1-800-848-4980
1.4 Reference number	:	20-0031(US)

Section 2: Hazard Identification

2.1 Classification of the substance or mixture		
2.1.1 Physico-Chemical hazard		
Flammable Solids	:	Not classified
2.1.2 Health Hazard		
Acute toxicity (Oral)	:	Not classified
Acute toxicity (Dermal)	:	Not classified
Acute toxicity (inhalation: dusts/mists)	:	Not classified
Skin corrosion/irritation	:	Category 2
Serious eye damage/irritation	:	Category 1
Skin sensitization	:	Category 1
Reproductive toxicity	:	Not classified
Aspiration hazard	:	Not classified
Specific target organ toxicity (single exposure)	:	Category 1
Specific target organ toxicity (repeated exposure)	:	Not classified
2.1.3 Environmental Hazard		

* For those not listed on "2.1 Classification of the Substance or Mixture" are either "Not Applicable" or "Classification not Possible."

* Hazard identification is made according to the 2012 OSHA communication Standard (29 CFR 1910.1210) and GHS rev. 7.

2.2 Label Element

Hazard Pictograms		
Signal Word	: Danger	
Hazard Statement	: H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H370	Causes damage to organs Central Nervous System,
		Respiratory Tract.
Precautionary Statement		1 5
General Precautions	: P101	If medical advice is needed, have product container or label at hand.

Issue Date: 2 Revised Date:

2020/3/31 Page 2 of 12

	P102	Keep out of reach of children.
	P103	Read label before use.
Preventions :	P264	Wash face, hands and any exposed skin thoroughly
		after handling.
	P280	Wear protective gloves/protective clothing/eye
		protection/face protection.
	P272	Contaminated work clothing should not be allowed
		out of the workplace.
	P260	Do not breathe dust/fume/gas/mist/vapors/spray.
	P270	Do not eat, drink or smoke when using this product.
Responses :	P302+P352	IF ON SKIN: Wash with plenty of water.
	P321	Specific treatment (see section 4 on this SDS).
	P362+P364	Take off contaminated clothing and wash it before
		reuse.
	P305+P354+	IF IN EYES: Immediately rinse with water for
	P338	several minutes. Remove contact lenses, if present
		and easy to do. Continue Rinsing.
	P317	Get medical help.
	P333+P317	If skin irritation or rash occurs: Get medical help.
	P308+P316	IF exposed or concerned: Get emergency medical
_		help immediately.
Storage :	P405	Store locked up.
Disposal :	P501	Dispose of contents/container to an approved waste
		disposal plant in accordance with
		local/regional/national/international regulations.

2.3 Other hazards

2.6% of the mixture consists of ingredient(s) of unknown acute toxicity (oral).

Harmful to aquatic life with long lasting effects.

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Use of alcoholic beverages may enhance toxic effects.

Section 3: Composition/Information on Ingredients

3.1 Substance :		
Chemical Name	CAS No.	Concentration (w/w %)
Not applicable	Not applicable	Not applicable
3.2 Mixtures :		
Chemical Name	CAS No.	Concentration (w/w %)
PEG-32	25322-68-3	5 - 10
CETETH-30	68439-49-6	5 - 10
AMMONIUM HYDROXIDE	1336-21-6	1 - 5
STEARETH-2	9005-00-9	1 - 5
AMMONIUM BICARBONATE	1066-33-7	1 - 5
BEHENTRIMONIUM CHLORIDE	68607-24-9	1 - 5
PARAFFIN	8002-74-2	1 - 5
LANOLIN	8006-54-0	1 - 5
MINERAL OIL	8042-47-5	0.1 - 1
ASCORBIC ACID	50-81-7	0.1 - 1
	71750-79-3,	
AMODIMETHICONE	106842-44-8,	0.1 - 1
	68554-54-1	
ISOPROPYL ALCOHOL	67-63-0	0.1 - 1
RESORCINOL	108-46-3	0.1 - 1

Issue Date: 2020/3/31 Revised Date:

Page 3 of 12

POLYQUATERNIUM-4	92183-41-0	0.1 - 1
FRAGRANCE	N.A.	0.1 - 1
4-NITRO-o-PHENYLENEDIAMINE	99-56-9	0.1 - 1
SODIUM SULFITE	7757-83-7	0.1 - 1

Section 4 : First-aid Measures

4.1 Description of First Aid Measures Inhalation : Remove to fresh air. Get medical attention immediately if symptoms occur. Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Seek immediate medical attention/advice. Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. Call a physician. 4.2 Most Important Symptoms/Effects : Burning sensation, itching, rashes, and/or hives. Acute : Burning sensation, itching, rashes, and/or hives. Delayed

4.3 Protection for Person who gives First-Aids Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

4.4 Indication of Immediate Medical Attention and Special Treatment Needed Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. May cause sensitization of susceptible persons. Treat symptomatically.

Section 5: Fire-Fighting Measures

5.1 Extinguishing Media		
Suitable Extinguishing Media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Inappropriate Extinguish Media	:	No information available.
5.2 Specific Hazards Arising from	:	Thermal decomposition can lead to release of irritating gases and
the Chemicals		vapors.
5.3 Special Extinguishing Method	:	Sensitivity to mechanical impact: No
		Sensitivity to static discharge: No
5.4 Special Protective Actions for	:	As in any fire, wear self-contained breathing apparatus
Fire-fighter		pressure-demand, MSHA/NIOSH (approved or equivalent) and
		full protective gear.

Section 6: Accidental Release Measures

6.1 Personal Precautions, Protective E	Ξqι	ipment and Emergency Procedures
Protective Equipment	:	Refer to protective measures listed in Section 7 and 8. Prevent
		further leakage or spillage if safe to do so.
Appropriate Procedure	:	Avoid contact with skin, eyes or clothing. Ensure adequate
		ventilation. Use personal protective equipment as required.
Emergency Procedure	:	Evacuate personnel to safe areas.
6.2 Environmental Precautions	:	Refer to protective measures listed in Section 7 and 8. Prevent
		further leakage or spillage if safe to do so.
6.3 Methods and Materials for Contai	nn	nent and Cleaning up
For Containment	:	Prevent further leakage or spillage if safe to do so.
For Cleaning up	:	Soak up with inert absorbent material. Pick up and transfer to
		properly labeled containers.

Issue Date: Revised Date:

2020/3/31	

Other Information	:	Not available
Section 7: Handling and Storage 7.1 Precautions for Safe Handling		
General Precautions	:	Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.
General Hygiene	:	Do not eat, drink or smoke when using this product.
7.2 Conditions for Safe Storage		
General Information	:	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
Storage Conditions	:	Do not store with strong acids, strong oxidizing agents and/or strong bases.
Other Information	:	Not available

Section 8: Exposure Controls/Personal Protection

8.1 Occupational Exposure Limits :

Chemical Name	ACGIH TLV	NIOSH IDLH	NIOSH REL	OSHA PEL
			TWA: 400 ppm	
ISOPROPYL	TWA : 200 ppm,	2000 ppm	$(980 \text{ mg/m}^3),$	TWA: 400 ppm
ALCOHOL	ST : 400 ppm	[10%LEL]	ST: 500 ppm	(980 mg/m^3)
	11	L J	(1225 mg/m^3)	(2)
PARAFFIN	-	-	TWA : 2 mg/m^3	-
			TWA: 10 ppm	
RESORCINOL			$(45 \text{ mg/m}^3),$	
RESORCINOL	-	-	ST: 20 ppm	-
			(90 mg/m^3)	
	TWA : 5 mg/m^3			
MINERAL OIL	(IHL; excluding			
	metal working			
	fluids, pure highly			
	and severely			
	refined)		2	
	(For poorly and	2500 mg/m^3	TWA: 5 mg/m ³ ,	TWA: 5 mg/m^3
	mildly refined:	2500 mg/m	ST 10 mg/m ³	1 W/A. 5 IIIg/III
	exposure by all			
	routes should be			
	carefully			
	controlled to levels			
	as low as			
	possible.)			

ACGIH TLV: American Conference of Governmental Industrial Hygienists – Threshold limit value. OSHA PEL: Occupational safety and Health Administration – Permissible Exposure Limits Immediately Dangerous to Life or Health.

NIOSH IDLH: The National Institute for Occupational Safety and Health – Immediately Dangerous to Life or Health Concentrations.

8.2 Engineering Controls	:	Showers Eyewash station Ventilation system
8.3 Individual Protection Measures		
Eye/Face Protection	:	Tight sealing safety goggles.
Skin Protection	:	Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

Issue Date: 2020/3/31 Revised Date: Page 5 of 12

Respiratory Protection	: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Thermal Hazard	Not availableHandle in accordance with good industrial hygiene and safety
Other Requirements	practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately

after handling the products.

Section 9: Physical and Chemical Propertie	es		
Physical State	:	Solid (Cream)	
Color	:	Yellow to yellowish brown	
Odor	:	Characteristic odor	
рН	:	9.5 - 10.5	pH meter (1% aq. sol.)
Melting/Freezing Point	:	No data available	Not known
Initial Boiling Point and Boiling Range	:	No data available	Not known
Flash Point	:	No data available	Not known
Evaporation Rate	:	No data available	Not known
Flammability (Solid, Gas)	:	Not meet a criteria under burning rate test by judging from the product composition	Not known
Upper/lower Flammability or Explosive Limits	:	No data available	Not known
Vapor Pressure	:	No data available	Not known
Density	:	No data available	Not known
Relative Vapor Density	:	No data available	Not known
Solubility	:	Completely soluble in water	Not known
Partition Coefficient: n-octanol/water	:	No data available	Not known
Autoignition temperature	:	No data available	Not known
Decomposition temperature	:	No data available	Not known
Viscosity	:	25000 - 45000 mPa•s	Type B viscometer (No. 4 rotor/12 rpm/1 min)
Kinetic viscosity	:	No data available	Not known
Particle characteristics	:	No data available	Not known
Explosive property	:	No data available	Not known
Oxidizing property	:	No	
VOC contents (%)	:	No data available	
Other Information	:	No information available	

Section 10: Stability and Reactivity

Section 10. Stability and Reactivity		
Reactivity	: No data available	
Chemical Stability	: Stable under recommended storage conditions.	
Possibility of Hazardous Reactions	: None under normal processing.	
Conditions to Avoid	: None known	
Incompatible Materials	: Oxidative agent and acid materials.	
Hazardous Decomposition Products	: Carbon oxides, ammonia, and/or nitrogen oxide.	

Section 11: Toxicological Information

:	
	LD50(oral, rat) = 1260 mg/kg
	LD50(oral, rat) = 350 mg/kg

Issue Date: Revised Date:

2020/3/31

Page 6 of 12

STEARETH-2 AMMONIUM BICARBONATE BEHENTRIMONIUM CHLORIDE	LD50(oral, rat) = 25000 mg/kg LD50(oral, rat) = 1576 mg/kg LD50(oral, rat) = 1000 mg/kg
RESORCINOL 4-NITRO-o-PHENYLENEDIAMI NE	LD50(oral, rat) = 301 mg/kg LD50(oral, rat) = 681 mg/kg
Skin Corrosion/Irritation :	Madanata initation (During Dallit DTECS)
CETETH-30 AMMONIUM HYDROXIDE BEHENTRIMONIUM CHLORIDE	Moderate irritation (Draize, Rabbit, RTECS). Corrosive (rabbit, 20 % aq. Sol.) (SIDS 2008). Corrosive to skin. Low concentration solution (1%) causes skin irritation, and high concentration solutions($\geq 10\%$) may cause inflammation, rash, etc.
AMODIMETHICONE RESORCINOL	Causes skin irritation. In the skin irritation test in which this substance was applied to rabbits for 24 hours, there were reports of skin irritation scores 4.4 and 5.4, and scars and necrosis of the necrotic part were observed 14 days after application (SIDS (2009), DFGOT vol. 20 (2003), CICAD 71 (2006)).
	In addition to reports that epidemiological investigations of 268 human subjects showed a direct relationship between the occurrence of dermatitis and this substance exposure (NTP TR 403 (1992), ACGIH (7 th, 2001)) . Multiple dermatitis due to this substance exposure has been reported (SIDS (2009), PATTY (6 th, 2012)).
FRAGRANCE 4-NITRO-0-PHENYLENEDIAMI NE	No information available Irritant.
Serious Eye Damage/Irritation :	
PEG-32	Mild irritant (rabbit), but recovered within 24 to 48 hrs.
CETETH-30 AMMONIUM HYDROXIDE	Moderate irritation (Draize, Rabbit, RTECS). Corrosive (rabbit, 28.5 % aq. Sol.) (HSDB (Access on June 2014)).
BEHENTRIMONIUM	Low concentration solution (0.1 - 1%) is strongly irritant to
CHLORIDE	eyes, and high concentration solutions ($\geq 10\%$) may cause
PARAFFIN	severe burnings with turbidity or angiogenesis. Slightly or mild irritant (rabbit, IUCLID, 2000 and RTECS, 2008).
AMODIMETHICONE	Causes serious eye damage.
ISOPROPYL ALCOHOL	Mild to strong irritation (rabbit) (EHC, 1990, SIDS, 2002, PATTY 6th, 2012, and ECETOC TR48, 1998).
RESORCINOL	In the eye irritation test using rabbit, there are reports that non-recovering conjunctivitis, iritis, corneal opacity occurred(SIDS (2009)). Also there were reports that nonrecorescious ulcer has developed (ACGIH (7th, 2001)). In addition, the irritation score is reported as 39.9-56.3 and 105 (maximum value 110) (SIDS (2009), CICAD 71 (2006)).
FRAGRANCE 4-NITRO-0-PHENYLENEDIAMI NE	No information available No specific information given on the SDS from manufacturer.
1 12	
SODIUM SULFITE Respiratory or Skin Sensitization :	Causes eye irritation. Slight irritation on rabbit eyes.

2020/3/31

Page 7 of 12

FRAGRANCE 4-NITRO-0-PHENYLENEDIAMI NE	No information available May cause sensitization by skin contact.
Germ Cell Mutagenicity :	No information available
Carcinogenicity :	No information available
Reproductive Toxicity : ISOPROPYL ALCOHOL	Two generation test on rat by oral exposure showed decrease in copulation rate on parent and decrease in weight and increase in death rate (PATTY 6th, 2012 and SIDS (2002)).
STOT – Single Exposure : 4-NITRO-o-PHENYLENEDIAMI NE	May cause respiratory irritation.
AMMONIUM HYDROXIDE	There is known neurological effect due to oral and dermal exposure, which normally limited to blurred vision on topically applied region, but severe exposure causes increase in concentration of blood ammonia, attack, coma, nonspecific diffuse brain disorder, loss in muscle strength, decreased deep tendon reflex, loss of consciousness, and death (ATSDR, 2004). This substance has a respiratory irritation and causes severe irritation and pain on airway mucosa. Also, severe corrosive effects are known for mouth, throat and stomach by oral route (HSDB, 2014).
ISOPROPYL ALCOHOL	This substance showed systematic hazardous effect including the central nervous depression such as lethargy, coma and respiratory depression, irritation on the alimentary canal, effect on the circulatory system such as blood pressure, body temperature decrease, and abnormal cardiac rhythm (SIDS (2002), EHC 103 (1990)).
PARAFFIN	Wax fume is mild irritant on eyes, nose, and throat (PATTY5th, 2001)
RESORCINOL	This substance has multiple human poisoning cases. After using ointment or cream (50% of this substance, 100 g) for the treatment of skin diseases, methemoglobinemia, cyanosis, convulsions due to loss of consciousness, tremor, convulsion, mydriasis, confusion, amnesia, disorientation were observed. In oral ingestion and percutaneous absorption poisoning cases of infants, burning sensation, convulsions, central nervous system disorder (dizziness, confusion, somnolence, disorientation, disorientation, memory loss, tremor), red blood cell change (methemoglobinemia, hemolytic anemia, hemoglobinuria, cyanosis), etc. were observed (ACGIH (7th, 2001), CICAD 71 (2006), IARC 71 (1999), PATTY (6th, 2012), DFGOT Vol. 20 (2003)). In experimental animals, in oral administration on rats salivation, hyperexcitability, tachypnea, ptosis, lethargy, abnormal gait, lying position, tremor, dyspnea, tremor, convulsion, sedation, tonic chronic convulsion, cyanosis, etc. were reported (SIDS (2009), ACGIH (7th, 2001), DFGOT Vol. 20 (2003), PATTY (6th, 2012), CICAD 71 (2006)).
STOT – Repeated Exposure : ISOPROPYL ALCOHOL	Vapor exposure of this substance on rat for 4 month showed decrease in number of leucocyte at 100 mg/m ³ , and pathologic effect on organs of respiration such as lung and respiratory tract, liver and spleen at 500 mg/m ³ (EHC 103 (1990)).

MINERAL OIL	Effects on liver a test using rat (IU			
	exposure on rat (•	
Aspiration Hazard :	· · · · · · · · · · · · · · · · · · ·)-	
MINERAL OIL	Inhalation of oil	or liquid to lung	y may cause linio	d or chemical
	pneumonia and/o			
Information on the Likely Routes of Expo		inplu grunulon		
Inhalation	Specific test data	for the substan	ce or mixture is	not available
	May cause irritat			not avanable.
Eye contact :	Specific test data			not available
Lye contact	Expected to be a			
	irritating to eyes.			
	May cause irreve			y cause builts.
Skin contact :	Specific test data			not available
Skill contact .	Ingestion may ca			
	skin. Prolonged			
Ingestion :	Specific test data			
ingestion .	Ingestion may ca			
	may cause gastro			
Symptoms related to the Dhysical	diarrhea. May be			
Symptoms related to the Physical, :	Erythema (skin r			
Chemical and Toxicological	eyes. May cause	billiulless. Dull	ing, nening, rus	nes and/or
Characteristics	hives.			
Delayed, Immediate, and Chronic :	: May cause sensitization of susceptible persons. May cause			
Effects from Short and Long Term	sensitization by s	skin contact.		
Exposure	T1 . (.1.1. 11.		1	1 1
Carcinogenicity :	: The table below indicates whether each agency has listed any			
	ingredient as car		NTD	OGUA
Chemical Name	ACGIH	IARC	NTP	OSHA
ISOPROPVI AI COHOI	Δ.4	Group 3	_	_

Chemical Name	ACGIH	IARC	NTP	OSHA
ISOPROPYL ALCOHOL	A4	Group 3	-	-
RESORCINOL	A4	Group 3	-	-
4-NITRO-o-PHENYLENEDIAMINE	-	Group 3	-	-
MINERAL OIL	-	Group 3	-	-

ACGIH: A1 - Confirmed human carcinogen, A2 - Suspected human carcinogen, A3 - Confirmed animal carcinogen with unknown relevance to humans, A4 - Not classifiable as a human carcinogen, A5 - Not suspected as a human carcinogen

IARC: International Agency for Research and Cancer (Group 1 – Carcinogenic to humans, Group 2A – Probably Carcinogenic to humans, Group 2B – Possibly carcinogenic to humans, Group 3 – Not classifiable as to carcinogenicity in humans, Group 4 – Probably not carcinogenic to humans)

NTP: National Toxicology Program (NA = none assigned, Known = Known to be a human carcinogen, RAHC = Reasonably anticipated to be a human carcinogen)

Other Information

: No information available.

Section 12: Ecological Information

Toxicity on Aquatic Organisms :	
AMMONIUM HYDROXIDE	LC50 (Mysidopsis bahia, 96 hrs.) = $2.81 - 98.9$ mg total NH ₃ /L
	(SIDS, 2007)
AMMONIUM BICARBONATE	LC50 (96 hrs., Oncorhynchus mykiss)=17300 µg/L
BEHENTRIMONIUM CHLORIDE	EC50(Daphnia magna, 48 hrs.) = 0.16 mg/kg
RESORCINOL	EC50 (Daphnia magna, 48 hrs.) = 1.28 mg/L
POLYQUATERNIUM-4	No information available
FRAGRANCE	No specific information given on the SDS from manufacturer.
Toxicity on Terrestrial Organisms :	No information available.

Page 9 of 12

Persistence and Degradability :	
BEHENTRIMONIUM CHLORIDE	BOD=0 %
MINERAL OIL	Persistent (IUCLID, 2000)
RESORCINOL	BOD = 66.7%
POLYQUATERNIUM-4	No information available
Bioaccumulative Potential :	
BEHENTRIMONIUM CHLORIDE	Low bioaccumulation
MINERAL OIL	Log Pow > 6 (IUCLID, 2000)
RESORCINOL	$\log Kow = 0.8$
POLYQUATERNIUM-4	No information available
Mobility in Soil :	No information available.
Other Adverse Effects :	No information available.

Section 13: Disposal Considerations

Product/Packaging Disposal	: This material, as supplied, is not a hazardous waste according to Federal regulation (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Waste Treatment-Relevant Information Sewage Disposal-Relevant Information Other Disposal Recommendation	 No information available. No information available. Dispose of contents/containers in accordance with local regulation (refer to Section 15).

Section 14: Transport Information

	DOT/TDG	IATA/ICAO	IMDG/IMO
UN Number			
UN Proper Shipping Name	Not Doculated	Not Regulated	Not Regulated
Transport Hazard Classes	Not Regulated		
Packing Group			

DOT: US Department of Transportation

 TDG: UN model regulation of Transport of Dangerous Goods

 IATA/ICAO: International Air Transport Association/International Civil Aviation Organization

 IMDG/IMO: International Maritime Dangerous Goods/International Maritime Organization

 Environmental Hazards
 : No information available.

 Special Precautions for User
 : No information available.

 Transport in Bulk According to ANNEX
 : No information available.

 II of MARPOL 73/78 and IBC Code
 : No information available.

 Section 15: Regulatory Information
 Safety, Health, and Environmental Regulations Specific for the Product

 International chemical inventories
 : All components of this product are either listed or

Toxic substances control act (TSCA)	:	All components of this product are either listed or are
		exempt on the TSCA inventory.
Domestic Substance list (DSL)	:	Substances comply or are exempt.
US Federal Regulation		
Title III of the Superfund Amendments	:	Section 313 of Title III of the Superfund Amendments and

5000 lb (2270 kg)

Page 10 of 12

and Reauthorization act of 1986 (SARA 313)

AMMONIUM BICARBONATE

Reauthorization act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the act and title 40 of the Code of Federal Regulations (CFR), Part 372.

-

Chemical Name	SA	RA 313 – Threshold	values (%)
AMMONIUM HYDROXIDE	1.0 as ammonia		
ISOPROPYL ALCOHOL	1.0)	
SARA 311/312 Hazard Category :	Acute health haza	ırd	Yes
	Chronic health ha	zard	No
	Fire hazard		No
	Sudden release of pressure hazard No		No
	Reactive hazard		No
Clean Water Act (CWA) :	: This product contains the substances which are regulated as		
	pollutant pursuant to the Clean Water Act (40 CFR 122).		
Clean Air Act (CAA) :	This product does not contain substance which is regulated		
	as pollutant pursu	ant to the Clean Air	Act (40 CFR 50 - 99).
Comprehensive Environmental :	This material, as supplied, contains one or more substances		
Response Compensation and Liability	regulated as hazardous substance under the Comprehensive		
Act (CERCLA)	Environmental Response Compensation and Liability Act		
	(40 CFR 302).		
Hazardous Substance	Statutory Code*	RCRA Waste No.	Final RQ Pounds
AMMONIUM HYDROXIDE	1	-	1000 lb (454 kg)

RESORCINOL1,4U2015000 lb (2270 kg)* According to 40 CFR 302, The "Statutory Code" column indicates the statutory source for designating
each substance as a CERCLA hazardous substance:

1

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act,

"2" indicates that the source is section 307(a) of the Clean Water Act,

"3" indicates that the source is section 112 of the Clean Air Act, and

"4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA). US State Regulations

California Hazardous Waste Code : 135 (unspecified aqueous solution)

This product contains one or more substances that are listed with the state of California as hazardous waste.

Chemical Name	California Hazardous Waste Code
AMMONIUM HYDROXIDE	X, C
ISOPROPYL ALCOHOL	X, I

California Hazardous Waste Code: X – Toxic, C – Corrosive, I – Ignitable, R - reactive

California Proposition 65 : This product does not contain any Proposition 65 chemicals. US State Right-to-Know Regulations :

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
AMMONIUM HYDROXIDE	Х	Х	Х	-	Х
AMMONIUM BICARBONATE	Х	Х	Х	-	Х
LANOLIN	-	-	Х	Х	-
PARAFFIN	Х	Х	Х	Х	-
MINERAL OIL	Х	Х	Х	Х	-
ISOPROPYL ALCOHOL	Х	Х	Х	Х	-
RESORCINOL	Х	Х	Х	Х	Х

Section 16: Other Information

NFPA (National Fire Protection Association Code)

: Health hazard Flammability hazard

HMIS (Hazardous Materials Identification System)	Instability hazard Special hazards Health Flammability Physical hazard	0 COR 3 0 0
	Personal protection	0 X

Reference

5.

- 1. Globally Harmonized System of Classification and Labeling of Chemicals Revision 5, 2013
- 2. National Institute of Technology and Evaluation (http://www.nite.go.jp/en/index.html)
- 3. SDS provided from raw material manufactures
- 4. United States Code (http://uscode.house.gov/browse.xhtml)
 - a) Title 21 Food and Drugs Chapter 9 Federal Food, Drug, and Cosmetic Act
 - b) Title 33 Navigation and Navigable Waters Chapter 26 Water Pollution Prevention and Control
 - c) Title 42 The Public Health and Welfare Chapter 85 Air Pollution Prevention and Control
 - d) Title 42 The Public Health and Welfare Chapter 103—Comprehensive Environmental Response, Compensation, and Liability
 - Code of Federal Regulation (https://www.gpo.gov/)
 - a) 21 CFR parts 700 799 Cosmetics
 - b) 40 CFR Protection of Environment
- 6. US Right-to-Know Regulation
 - a) New Jersey administrative code Title 8 Health Chapter 59 Work and community right to know act rules Appendix A and B
 - b) New Jersey Register Volume 42, Issue 15, 42 N.J.R. 1709(a), August 2, 2010
 - c) Code of Massachusetts Regulations 105 CMR 670.000 Right to know
 - d) The Pennsylvania Code Title 34 Labor and Industry Chapter 323 Hazardous Substance List
 - e) State of Rhode Island General Laws Chapter 28-21 Hazardous Substances Right-to-Know Act
 - f) Rhode Island Hazardous Substance List (http://www.dlt.ri.gov/occusafe/pdfs/HazardousABC.pdf)
 - g) Illinois Chemical Safety Act (430 ILCS 45)
 - h) Hazardous Materials Emergency Act (430 ILCS 50)
 - i) Illinois Emergency Planning and Community Right to Know Act (430 ILCS 100)
- 7. Domestic Substance List (http://www.ec.gc.ca/LCPE-CEPA/default.asp?lang=En&n=5F213FA8-1)
- 8. TSCA Chemical Substance Inventory (https://www.epa.gov/tsca-inventory)
- 9. International Agency for Research on Cancer (http://www.iarc.fr/)
- 10. American Conference of Governmental Industrial Hygienists (http://www.acgih.org/)
- 11. US Environmental Protection Agency (https://www3.epa.gov/)
- 12. US Department of Labor, Occupational Safety and Health Administration (https://www.osha.gov/)
- 13. The National Institute for Occupational Safety and Health (http://www.cdc.gov/niosh/about/default.html)
- 14. US Department of Health and Human Services, National Toxicology Program (https://ntp.niehs.nih.gov/)
- 15. US Department of Transportation (https://www.transportation.gov/)
- 16. International Air Transport Association (http://www.iata.org/Pages/default.aspx)
- 17. International Civil Aviation Organization (http://www.icao.int/Pages/default.aspx
- International Maritime Organization (http://www.imo.org/en/Publications/IMDGCode/Pages/Default.aspx)
- 19. California Environmental Protection Agency (http://oehha.ca.gov/)
- 20. National Fire Protection Association (http://www.nfpa.org/)

Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.